

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A wireless communication system including a terminal device that transmits a wireless signal and an electronic device that receives the wireless signal transmitted by said terminal device,

said terminal device comprising:

\_\_\_\_\_an encrypting system that encrypts data to be transmitted;

\_\_\_\_\_a first communication system that transmits ~~deciphering data~~ a decrypting key to said electronic device with a wireless signal having a directivity; and

\_\_\_\_\_a second communication system that transmits the encrypted data to said electronic device with a wireless signal which does not have the directivity, the second communication system being configured to share all constituent elements other than an antenna with the first communication system.

said electronic device comprising:

\_\_\_\_\_a third communication system that receives the wireless signal transmitted by said transmitting system of said terminal device; and

\_\_\_\_\_a decoding system that decodes the encrypted data that is received through said third communication system using the ~~deciphering data~~ decrypting key that is received through said third communication system.

2. (Original) The wireless communication system according to claim 1, wherein said first communication system is provided with a directional antenna, and

wherein said second communication system is provided with an omnidirectional antenna.

3. (Currently Amended) ~~The wireless communication system according to claim 1~~  
A wireless communication system including a terminal device that transmits a wireless signal and an electronic device that receives the wireless signal transmitted by said terminal device,

said terminal device comprising:  
an encrypting system that encrypts data to be transmitted;  
a first communication system that transmits a decrypting key to said electronic device with a wireless signal having a directivity; and  
a second communication system that transmits the encrypted data to said electronic device with a wireless signal which does not have the directivity,  
said electronic device comprising:  
a third communication system that receives the wireless signal transmitted by said transmitting system of said terminal device; and  
a decoding system that decodes the encrypted data that is received through said third communication system using the decrypting key that is received through said third communication system,

wherein a communication between said first communication system and said third communication system and a communication between said second communication system and said third communication system are performed in accordance with the same communication protocol.

4. (Original) The wireless communication system according to claim 3, wherein the same communication protocol is a protocol according to a wireless LAN.

5. (Original) The wireless communication system according to claim 3, wherein the same communication protocol is a protocol according to a Bluetooth® technology.

6. (Currently Amended) The wireless communication system according to claim 1, wherein ~~the eiphering data~~ an encrypting key is identical to the ~~deeiphering data~~ decrypting key.

7. (Original) The wireless communication system according to claim 1, wherein said third communication system does not have the directivity.

8. (Original) The wireless communication system according to claim 1, which employs a protocol according to a wireless LAN.

9. (Original) The wireless communication system according to claim 1, which employs a protocol according to a Bluetooth® technology.

10. (Original) The wireless communication system according to claim 1, which employs a common key encrypting method.

11. (Currently Amended) A wireless communication system including a terminal device that transmits a wireless signal and an electronic device that receives the wireless signal transmitted by said terminal device,

said electronic device comprising:

\_\_\_\_\_ a first communication system that transmits ~~eiphering data~~ an encrypting key to be used for encrypting data to said terminal device with a wireless signal having a directivity;

\_\_\_\_\_ a second communication system that receives encrypted data to be processed, said second communication system does not have directivity, the second communication system being configured to share all constituent elements other than an antenna with the first communication system; and

\_\_\_\_\_ a decoding system that decodes the encrypted data received through said second communication system using ~~the deeiphering data~~ a decrypting key corresponding to the ~~eiphering data~~ encrypting key transmitted by said first communication system, and

said terminal device comprising:

\_\_\_\_\_ a third communication system that is capable of receiving the ~~eiphering~~  
~~data~~ encrypting key transmitted by said first communication system and transmitting data to  
said second communication system; and

\_\_\_\_\_ an encrypting system that encrypts data to be processed using the  
~~eiphering data~~ encrypting key received through said third communication system, the  
encrypted data being transmitted to said second communication system through said third  
communication system.

12. (Original) The wireless communication system according to claim 11,  
wherein said first communication system is provided with a directional  
antenna, and

wherein said second communication system is provided with an  
omnidirectional antenna.

13. (Currently Amended) ~~The wireless communication system according to claim~~  
~~11~~ A wireless communication system including a terminal device that transmits a wireless  
signal and an electronic device that receives the wireless signal transmitted by said terminal  
device,

\_\_\_\_\_ said electronic device comprising:

\_\_\_\_\_ a first communication system that transmits an encrypting key  
to be used for encrypting data to said terminal device with a wireless signal having a  
directivity;

\_\_\_\_\_ a second communication system that receives encrypted data to be  
processed, said second communication system does not have directivity; and

a decoding system that decodes the encrypted data received through said second communication system using a decrypting key corresponding to the encrypting key transmitted by said first communication system, and

said terminal device comprising:

a third communication system that is capable of receiving the encrypting key transmitted by said first communication system and transmitting data to said second communication system; and

an encrypting system that encrypts data to be processed using the encrypting key received through said third communication system, the encrypted data being transmitted to said second communication system through said third communication system,

wherein a communication between said first communication system and said third communication system and a communication between said second communication system and said third communication system are performed in accordance with the same communication protocol.

14. (Original) The wireless communication system according to claim 13, wherein the same communication protocol is a protocol according to a wireless LAN.

15. (Original) The wireless communication system according to claim 13, wherein the same communication protocol is a protocol according to a Bluetooth® technology.

16. (Currently Amended) The wireless communication system according to claim 11, wherein the ~~encrypting data~~ encrypting key is identical to the ~~decrypting data~~ decrypting key.

17. (Original) The wireless communication system according to claim 11, wherein said third communication system does not have the directivity.

18. (Original) The wireless communication system according to claim 11, which employs a protocol according to a wireless LAN.

19. (Original) The wireless communication system according to claim 11, which employs a protocol according to a Bluetooth® technology.

20. (Original) The wireless communication system according to claim 11, which employs a common key encrypting method.

21. (Currently Amended) A terminal device for a wireless communication system including said terminal device and an electronic device, said terminal device comprising:

an encrypting system that encrypts data to be transmitted to said electronic device;

a first communication system that transmits ~~deciphering data~~ a decrypting key to the electronic device with a wireless signal having a directivity; and

a second communication system that transmits the encrypted data to the electronic device with a wireless signal which does not have the directivity, the encrypted data being decodable using the ~~deciphering data~~ decrypting key transmitted by said first communication system, the second communication system being configured to share all constituent elements other than an antenna with the first communication system.

22. (Original) The terminal device according to claim 21, wherein said first communication system is provided with a directional antenna, and

wherein said second communication system is provided with an omnidirectional antenna.

23. (Currently Amended) The terminal device according to claim 21, wherein ~~the deciphering data~~ an encrypting key is identical to the ~~deciphering data~~ decrypting key.

24. (Original) The terminal device according to claim 21, wherein each of the first communication system and the second communication system employs a protocol according to a wireless LAN.

25. (Original) The terminal device according to claim 21, wherein each of the first communication system and the second communication system employs a protocol according to a Bluetooth® technology.

26. (Currently Amended) An electronic device for a wireless communication system including a terminal device and said electronic device, said electronic device comprising:

a first communication system that transmits ~~eiphering data~~ an encrypting key to be used for encrypting data to the terminal device with a wireless signal having a directivity;

a second communication system that receives data to be processed from the terminal device, said second communication system does not have directivity, the data transmitted from the terminal device being encrypted using the ~~eiphering data~~ encrypting key transmitted by said first communication system, the second communication system being configured to share all constituent elements other than an antenna with the first communication system; and

a decoding system that decodes the encrypted data received through said second communication system using ~~the deciphering data~~ a decrypting key corresponding to the ~~eiphering data~~ encrypting key transmitted by said first communication system.

27. (Original) The electronic device according to claim 26, wherein said first communication system is provided with a directional antenna, and

wherein said second communication system is provided with an omnidirectional antenna.

28. (Currently Amended) The electronic device according to claim 26, wherein the ~~ciphering data~~ encrypting key is identical to the ~~deciphering data~~ decrypting key.

29. (Original) The electronic device according to claim 26, wherein each of the first communication system and the second communication system employs a protocol according to a wireless LAN.

30. (Original) The electronic device according to claim 26, wherein each of the first communication system and the second communication system employs a protocol according to a Bluetooth® technology.

31. (Currently Amended) A computer program product for controlling a terminal device for a wireless communication system including the terminal device and an electronic device, the computer program product controlling the terminal device to include functions of:

an encrypting system that encrypts data to be transmitted to the electronic device;

a first communication system that transmits ~~deciphering data~~ a decrypting key to the electronic device with a wireless signal having a directivity; and

a second communication system that transmits the encrypted data to the electronic device with a wireless signal which does not have the directivity, the encrypted data being decodable using the ~~deciphering data~~ decrypting key transmitted by the first communication system, the second communication system being configured to share all constituent elements other than an antenna with the first communication system.

32. (Currently Amended) A computer program product for controlling an electronic device for a wireless communication system including a terminal device and the



electronic device, the computer program product controlling the electronic device to include functions of:

a first communication system that transmits ~~eiphering data~~ an encrypting key to be used for encrypting data to the terminal device with a wireless signal having a directivity;

a second communication system that receives data to be processed from the terminal device, the second communication system does not have directivity, the data transmitted from the terminal device being encrypted using the ~~eiphering data~~ encrypting key transmitted by the first communication system, the second communication system being configured to share all constituent elements other than an antenna with the first communication system; and

a decoding system that decodes the encrypted data received through the second communication system using ~~the deciphering data~~ a decrypting key corresponding to the ~~eiphering data~~ encrypting key transmitted by the first communication system.